

Pecard Black Motorcycle Weatherproof Dressing

Safety Data Sheet (Conforms to Regulation OSHA final rule 77 Fed. Reg.17574)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PMWD.75 - PMWD4 - PMWD8

Pecard Black Motorcycle Weatherproof Dressing

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Manufacturing – Leather Conditioner, preservative, weatherproofing, polishing agent

1.3. Details of the supplier of the data sheet

Pecard Leather Care Co., Inc.
1836 Industrial Drive
Green Bay, WI 54302
T 920-468-5056

1.4. Emergency telephone number

Emergency number : Chem-Trec 800-262-8200

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification / risks

According to classification criteria of GHS Part 2.6.2 for Flammable Liquids: Flammable Liquid 4

2.2. Label elements

Pictogram: None
Signal word: WARNING
Hazard Code: H227 – Flammable Liquid 4
Precaution: P102: Keep out of reach of children
Prevention: P210: Keep away from heat/sparks/open flames/hot sources. – No Smoking
P280: Wear protective gloves / eye protection
Response: P370 + P378 IN CASE OF FIRE: Use carbon dioxide, dry powder, foam, water spray or water fog
Storage: P403 + P235: Store in a well-ventilated place. Keep cool
Disposal: P501 Dispose of contents and containers in accordance with all local, regional, national and international regulations
Additional Hazards: Not applicable

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification by OSHA
Distillates, petroleum hydro treated light	(Cas No) 64742-47-8	10 - 15	Not classified Flam Liq 3 (self-classification by Flash Point under GHS criteria)
Paraffin wax	(CAS No) 8002-74-2	2 - 4	Not classified
Petrolatum	(CAS-No) 8009-03-8	50 - 70	Not classified
Solvent Black 7	(CAS-No) 8005-02-5	1 - 2	Not classified
Distillates, petroleum, hydro treated light (high boiling range isoparaffinic hydrocarbon)	(CAS-No) 64742-47-8	10 - 15	Not classified Flam Liq 4 (self-classification by Flash Point under GHS criteria)

Full text of H-phrases: See section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

First-aid measures after skin contact : If irritation occurs, gently wash with plenty of soap and water. Get medical attention if irritation

Pecard Black Motorcycle Weatherproof Dressing

Safety Data Sheet (Conforms to Regulation OSHA final rule 77 Fed. Reg.17574)

Wash contaminated clothing before reuse.

- First-aid measures after eye contact : Flush with plenty of water for at least 15 minutes. Remove contact lenses, if worn. Seek medical advice if irritation develops or persists.
- First-aid measures after ingestion : If swallowed, do not induce vomiting unless directed to do so medical personnel. Never give anything by mouth to an unconscious person. Seek medical advice/attention in you feel unwell. Call Poison Control Center.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Repeated exposure may cause respiratory tract irritation.
- Symptoms/injuries after skin contact : None expected for single short-term exposures. Prolonged or repeated contact may product some irritation. Symptoms may include redness and drying of skin.
- Symptoms/injuries after eye contact : No significant health hazards identified during normal use of product. Accidental eye contact may cause irritation. Symptoms include may include discomfort, redness, blinking and tear production.
- Symptoms/injuries after ingestion : May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians: symptomatically treatment. However, symptoms may not appear immediately.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Agents approved for Class B hazards (e.g., dry chemical, carbon dioxide, halogenated agents, foam, steam) or water fog.
- Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Incomplete burning can produce carbon monoxide and/or carbon dioxide and other harmful products.
- Explosion hazard : None

5.3. Advice for firefighters

- Protection during firefighting : Firefighter should wear full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment, and emergency procedures

6.1.1 For non-emergency personnel

Use individual protection measures – see section 8 of the Safety Date Sheet.

6.1.2. For emergency responders

Limit the access of bystanders to the endangered area until proper cleaning operations are finished. In case of great leakage isolate the endangered area. Avoid contact with the eyes, skin and clothes. Do not inhale vapors or mist. If release occurred in closed area, ensure adequate ventilation.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Stop the flow of material with non-flammable, neutral absorbent material (sand, soil, diatomic earth, vermiculite) if this is without risk.
- Methods for cleaning up : Collect spilled material and place in sealed containers for reclamation or disposal. Dispose of waste in accordance with local, state, and federal regulations.

6.4. Reference to other sections

Also see section 8 and 13 of Safety Data Sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Avoid contact with eyes, skin, and clothes. : Avoid breathing vaper and fog.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in tightly sealed and properly labeled container in a cool, well ventilated area. Keep out reach of children.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls

8.1. Control parameters

Pecard Black Motorcycle Weatherproof Dressing

Safety Data Sheet (Conforms to Regulation OSHA final rule 77 Fed. Reg.17574)

Distillates (petrolatum) hydro treated light	
ACGIH TLV:	10mg/m3 (STEL) 5mg/m3 (TWA) Inhalable fraction
OSHA-PEL	5 mg/m3 mist
Petrolatum	
ACGIH	Not applicable
OSHA	Not applicable
Paraffin wax	
ACGIH	Not applicable
OSHA	Not applicable
Distillates, petroleum, hydro treated light (high boiling range isoparaffinic hydrocarbon)	
Manufacturer's recommended occupational exposure limit is 152 ppm	(1200mg/m3) total hydrocarbon per 8-hour work day
Solvent Black 7	
ACGIH	Not applicable
OSHA	Not applicable

8.2. Exposure controls

Appropriate engineering controls	: General (mechanical) room ventilation is expected to be satisfactory for normal handling.
Hand protection	: Wear impermeable glove (e.g. perbutane, viton, butyl rubber)..
Eye protection	: Tight safety glasses in the case of prolonged exposure or the risk of liquid splashing to the eye.
Skin and body protection	: Wear suitable working clothes.
Respiratory protection	: None required under normal product handling conditions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: paste grease
Color	: black
Odor	: faint aliphatic
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: 43°C (110.6°F)
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 61°C (141°F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable 4 GHS criteria
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Specific gravity	: 0.9 – 0.91
Solubility	: Insoluble.
Log Pow	: No data available
Log Know	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other Information

Pecard Black Motorcycle Weatherproof Dressing

Safety Data Sheet (Conforms to Regulation OSHA final rule 77 Fed. Reg.17574)

VOC content : 1.05/Lbs/Gal (126g/l)

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

High temperature, incompatible materials.

10.5. Incompatible materials

Strong oxidizers

10.6. Hazardous decomposition products

Incomplete burning can produce carbon monoxide and/or carbon dioxide and other harmful products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Petrolatum	
LD50 dermal rabbit	3600 mg/kg
ATE US (dermal)	3600.000 mg/kg
Distillates (petroleum) hydrotreated light	
LD50 oral rat	> 5000 mg/kg
ATE US (dermal)	> 3160 mg/kg rat
Distillates petroleum hydrotreated light (High boiling range)	
LD50 oral rat	> 15000 mg/kg rat
LD50 dermal rabbit	> 31600 mg/kg
ATE US 9oral)	

Skin corrosion/irritation	: Causes mild skin irritation
Serious eye damage/irritation	: Causes eye irritation
Respiratory or skin sensitization	: Classification criteria have not been met based on the available data.
Germ cell mutagenicity	: Classification criteria have not been met based on the available data.
Carcinogenicity	: This product is not classified as carcinogen.
Reproductive toxicity	: Developmental: This product does not contain known reproductive or developmental toxin more than 0.1%
Specific target organ toxicity (single exposure)	: Classification criteria have not been met based on the available data.
Specific target organ toxicity (repeated exposure)	: Classification criteria have not been met based on the available data.
Aspiration hazard	: This product does not meet classification criteria according to GHS 3.10.1.6.4.

SECTION 12: Ecological information

12.1. Toxicity

Distillates (petroleum) hydrotreated light	
LD50 fish 1	> 2.9 mg/l Exposure time: 96 h – Species: Rainbow trout, Donaldson trout (Oncorhynchus mykiss)
Petrolatum	
No specific information is currently available on the effect of this product on plants or animals in the environment.	This product may be harmful to contaminated terrestrial and aquatic plant and animal life, especially in large quantities.
Distillates petroleum hydrotreated light (High boiling range)	
Material not expected to be harmful to aquatic organisms.	Not expected to demonstrate chronic toxicity to aquatic organisms.

12.2. Persistence and degradability

Biodegradable. Transformation due to hydrolysis not expected to be significant

12.3. Bioaccumulative potential

Not available

Pecard Black Motorcycle Weatherproof Dressing

Safety Data Sheet (Conforms to Regulation OSHA final rule 77 Fed. Reg.17574)

12.4. Mobility in soil

This product is immiscible with water and will spread on water surface

12.5. Results of PBT and vPvB assessment

According to Annex XIII, the substance does not meet PBT or PvBv criteria.

12.6 Other adverse effects

Not available

SECTION 13: Disposal consideration

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

US DOT: Not regulated

IMDG: Not regulated

IATA: Not dangerous goods

14.1 UN Number: Not applicable

14.2 UN Proper shipping name: Not applicable

14.3 Transport hazard class(es): Not applicable

14.4 Packing Group III

14.5 Environmental hazards: Not applicable

14.6 Special precautions for users: Do not handle until safety precautions have been read and understood.

14.7 Transport in bulk according to Annex of MARPOL 73/78 and IBC Code: Not determined.

SECTION 15: Regulatory information

15.1. Safety, health, and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet classification and labeling have been determined according to OSHA final rule 77 Fed.REG.17574

Canada DSL: All components are listed. Classification procedure was followed in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all information required by Control Products Regulations.

USA: Various Federal and State Regulatory bodies as follows:

EPA: None of the ingredients are listed

TLV established by ACGIH: All substances are listed

TSCA: In compliance

SARA Title III (USA)

Section 302: None listed

Section 313: Contains no "toxic" chemicals subject to the requirements of Section 313 Title III or 40 CFR Part 372.

CARB VOC compliance (USA): Compliant to the 15% VOC rule for liquids and creams.

Global Inventories (DSL): components listed.

NFPAS (USA):

Health:	1 (Slight)
Fire:	1 (Slight)
Reactivity:	0 (Minimal)

15.2. Chemical Safety assessment

A chemical safety assessment has not been carried out for this product.

SECTION 16: Other information

Date of preparation: August 2, 2015

Version: 2.0

Revision date: November 12, 2018

Revised changes:

Classification for the mixtures were derived using GHSD Classification criteria.

Classification	Classification procedure
Flammable Liquid 4	OSHA/GHS

Relevant H and P phrases:

H227: Flammable Liquid 4

P370: In case of fire

P378: Use carbon dioxide, dry powder, foam, water spray or water fog.

P210: Keep away from heat, sparks, open flame hot sources. No smoking

P102: Keep out of reach of children.

Pecard Black Motorcycle Weatherproof Dressing

Safety Data Sheet (Conforms to Regulation OSHA final rule 77 Fed. Reg. 17574)

- P280: Wear protective gloves, eye protection.
P403: Store in a well-ventilated place.
P235: Keep coll.
P501: Dispose of contents and containers in accordance with all local, regional, national, and international regulation.

Abbreviations and acronyms in the Safety Data Sheet

CAS No. Chemical Abstracts Service Number
EINECS No. European Commission Number
REACH No. Registration, Evaluation, Authorization, Restriction of Chemicals Number
TLV-TWA Threshold Limit Value
TLV-STEL Threshold Limit Value, Short Term Exposure Limit
TLV-C Ceiling exposure limit
vPvB very Persistent, very Bioaccumulative (substance)
PBT Persistent, bioaccumulative, and toxic (substance)
LD₅₀ Dose that will kill 50% of the test animals
LD₅₀ Concentration that will kill 50% of the test animals
STOT Specific Target Organ Toxicity
RID Regulations Concerning the International Carriage of Dangerous Goods by Rail
ADR Agreement of Dangerous Goods by Road
INDG International Maritime Transport of Dangerous Goods
IATA International Air Transport Association

Disclaimer:

The data in this Safety Data Sheet relates only to the specific material designed and does not relate to its use in combination with any other material or process. The data contained is believed to be correct. However, since conditions of use are outside our control, it should not be taken as a warranty or representation for which Pecard Leather Care Co Inc assumes legal responsibility. This information is provided solely for your consideration, investigation, and verification.